

# Scotsman®

Ice Systems



*The smart choice in ice.™*

---

## **PRICE SCHEDULE**

### **Effective 1st May 2017**

#### **CONTACT DETAILS:**

#### **ADDRESS:**

**HEAD OFFICE - GAUTENG**  
 UNIT 4, LAKEVIEW BUSINESS PARK  
 8-10 YALDWYN ROAD  
 JETPARK

#### **CONTACT NUMBERS:**

MAJORS -	087 720 0245/6/7/8
SPARES -	010 590 0609
SERVICE -	011 826 6741/2
WARRANTY -	011 826 6741/2
ACCOUNTS -	087 720 0248
FAX -	011 826 4123 / 086 634 0803
EMAIL -	jennifer@scotsmansa.co.za stuart@scotsmansa.co.za

#### **WEBSITE:**

[www.scotsmansa.co.za](http://www.scotsmansa.co.za)

#### **EASTERN CAPE:**

JOAN WHITE - 083 653 0995 / 041 776 1944  
 Email - [javagencies@isat.co.za](mailto:javagencies@isat.co.za)

#### **WESTERN CAPE:**

IAN GODFREY - 078 529 0190/ 010 590 0609  
 Email - [ian@scotsmansa.co.za](mailto:ian@scotsmansa.co.za)

#### **FREE STATE/GAUTENG:**

BYRON SINDEN - 082 434 1440 / 010 590 0609  
 Email - [byron@scotsmansa.co.za](mailto:byron@scotsmansa.co.za)

#### **GAUTENG:**

STUART MACKINNON - 083 628 8640/ 010 590 0609  
 Email - [stuart@scotsmansa.co.za](mailto:stuart@scotsmansa.co.za)

#### **KZN:**

NOELENE FLETCHER - 083 225 1439  
 Email - [noelene@scotsmansa.co.za](mailto:noelene@scotsmansa.co.za)

# 1<sup>st</sup> May 2017 - ALL PRICES EXCLUDE V.A.T

**TRANSPORT COSTS TO MAIN CENTRE ONLY - EACH UNIT WILL BE CHARGED AS A SEPARATE ITEM:-  
GAUTENG R 600.00: DURBAN R 700.00: CAPE TOWN R 750.00: P.E., E.L. R 750.00: BLOEM R 750.00  
OUTLYING CENTRES SUBJECT TO A QUOTE**

## **1. SELF CONTAINED SUPER CUBER / DROP CUBE – STANDARD MODELS**

Indicated production ratings pertain to air cooled (AS) models.

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg	Dimensions (unpacked) W x D x H H with Legs* (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
SDN20	20 kg	12kg	6.5kg	333 x 460 x 585	230/50/1	R134a	31	R 12 999.00

\*\* LEGS NOT AN OPTIONAL EXTRA

## **2. SELF CONTAINED SUPER CUBER / GOURMET CUBE – WITH PWD (PROGRESSIVE WATER DISCHARGE)**

**Please Note:** Take leg height into consideration when making height allowances for under counter installations. New and unique PWD, (Progressive Water Discharge) by Scotsman. It solves all your drainage height or distance problems. Place your ice-maker just where you need it – up to 15m away and 1.5m lower than the actual drain outlet, at the same time keep algae or bacteria found in stagnant drain water, from contaminating the ice in the storage bin. PWD is standard on all new EC easy-fit line models – Special installation requirements must be followed.

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
EC 46*	24 kg	22 kg	9 kg	386 x 600 x 643	230/50/1	R134a	42	R 15 299.00
EC 56*	32 kg	29 kg	12.5kg	386 x 600 x 693/813*	230/50/1	R134a	43	R 19 799.00
EC 86	38 kg	35 kg	19 kg	530 x 600 x 795/915*	230/50/1	R134a	51	R 21 499.00
EC 106	50 kg	46 kg	23kg	530 x 600 x 850/970*	230/50/1	R134a	54	R 23 399.00
EC 126	71kg	66 kg	34kg	680 x 600 x 930/1050*	230/50/1	R404a	75	R 33 899.00
EC 176	83 kg	78 kg	48kg	680 x 600 x 1000/1120*	230/50/1	R404a	80	R 36 599.00
EC 206	130 kg	115 kg	50 kg	1250 x 620 x 780/860*	230/50/1	R404a	95	R 45 799.00
EC 226	145 kg	135 kg	70 kg	1078 x 715 x 1006/1126*	230/50/1	R404a	110	R 50 999.00

\*LEGS & SCOOP NOT INCLUDED

## **3. MODULAR SUPER CUBER – HORIZONTAL EVAPORATORS (GOURMET CUBE)**

All prices exclude bins

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg <small>Recommended</small>	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
MC 16-Short	172 kg	155 kg	B 220	772 x 608 x 711	230/50/1	R404a	85	R 46 999.00
MC 46	310 kg	300 kg	B 320	1073 x 534 x 859	230/50/1	R404a	125	R 62 799.00
MC 1210	660 kg	570 kg	2 x B500	1677 x 775 x 810	400/50/3N	R404a	245	R 129 699.00

## **2. SELF CONTAINED ICE DISPENSERS (NUGGET & GOURMET) CRUSHMAN**

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
TC 180	135 kg	115 kg	5 -9 Kg	388 x 663 x 874	230/50/1	R134a	73	R 54 399.00
CD 40	35 kg	29 kg	15 Kg	380 x 513 x 1720	230/50/1	R134a	74	R 52 699.00
CRUSHMAN 360	360 kg	-	3.5 Kg	245 x 430 x 490	230/50/1	-	26	R 24 199.00

# 1<sup>st</sup> May 2017 - ALL PRICES EXCLUDE V.A.T

TRANSPORT COSTS TO MAIN CENTRE ONLY - EACH UNIT WILL BE CHARGED AS A SEPARATE ITEM:-  
GAUTENG R 600.00: DURBAN R 700.00: CAPE TOWN R 750.00: P.E., E.L. R 750.00: BLOEM R 750.00  
OUTLYING CENTRES SUBJECT TO A QUOTE

## **2. MODULAR ECONOMY CUBER - SUPER DICE CUBE**

All prices exclude bins

Indicated production ratings pertain to air cooled (AS) models

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg Recommended	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
NW 308	146 kg	133 kg	B 150	560 x 620 x 575	230/50/1	R404a	63	R 35 599.00
NW 458	240 kg	215 kg	B 220	760 x 620 x 575	230/50/1	R404a	85	R 40 599.00
NW 608	320 kg	280 kg	B220/ B320	760 x 620 x 575	230/50/1	R404a	86	R 47 099.00
NW 1008	465 kg	415 kg	B500	760 x 620 x 800	230/50/1	R404a	119	R 69 299.00
NW 1008 3 PHASE	465 kg	415 kg	B 500	760 x 620 x 800	400/50/3N	R404a	119	R 69 299.00
C 1448 *	732 kg	657 kg	B 500	1219 x 700 x 737	230/50/1 17.7Amp	R404a	157	R 105 299.00
C 1848 *	893 kg	807 kg	B 500	1219 x 700 x 737	230/50/1 25.5 Amp	R404a	161	R 123 499.00

\* Recommend an independent 30amp circuit breaker with an isolator

## **3. SELF CONTAINED FLAKERS – ELECTRONIC**

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
AF 80	70 kg	64 kg	25 kg	535 x 626 x 813/933*	230/50/1	R134a	58	R 36 299.00
AF103	105 kg	98 kg	30 kg	592 x 622 x 1006 /1126*	230/50/1	R134a	75	R 42 599.00

## **4. MODULAR - SUPER FLAKERS – ELECTRONIC – ITALY**

Indicated production ratings pertain to air cooled (As) models

All prices exclude bins

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity Kg Recommended	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
MF 26	120 kg	110 kg	B 150	560 x 533 x 525	230/50/1	R134a	52	R 39 199.00
MF 36	200 kg	185 kg	B 150/220	560 x 533 x 525	230/50/1	R404a	56	R 45 099.00
MF 46	320 kg	300 kg	B 320	538 x 663 x 650	230/50/1	R404a	87	R 66 199.00
MF 56	600 kg	540 kg	B 500	538 x 663 x 790	230/50/1	R404a	103	R 83 099.00
MF 66	1200 kg	1020 kg	SPECIAL	1065 x 698 x 850	400/50/3N	R404a	198	R 183 699.00
MF 86	2500 kg	2250 kg	SPECIAL	1080 x 780 x 1255	400/50/3N	R404a	411	R 312 099.00

## 1<sup>st</sup> May 2017 - ALL PRICES EXCLUDE V.A.T

**TRANSPORT COSTS TO MAIN CENTRE ONLY - EACH UNIT WILL BE CHARGED AS A SEPARATE ITEM:-  
GAUTENG R 600.00: DURBAN R 700.00: CAPE TOWN R 750.00: P.E., E.L. R 750.00: BLOEM R 750.00  
OUTLYING CENTRES SUBJECT TO A QUOTE**

### **ACCESSORIES**

#### **5. STAINLESS STEEL STORAGE BINS**

\* Storage capacity of Bin is based on type of ice stored

\* Without legs

Model	Storage Capacity	Insulation Type	Density	Dimensions W x D x H (mm)	Material	Drain Size	Shipping Weight APPROX	Suggested Retail Price Excluding VAT
B 150	125-150 kg*	Polystyrene	32 dv	560 x 725 x 1100/ *900	S.S	1¼	30 kg	R 6 099.00
B 220	190-220 kg*	Polystyrene	32 dv	800 x 725 x 1100/ *900	S.S	1¼	40 kg	R 6 699.00
B 320	260-320 kg*	Polystyrene	32 dv	1075 x 725 x 1100/ *900	S.S	1 ¼	50 kg	R 7 699.00
B 500	400-480 kg*	Polystyrene	32 dv	1220 x 725 x 1410/ *1225	S.S	1¼	60 kg	R 10 199.00

#### **6. WATER FILTERS**

Part No	Description	Description 2	Capacity per Ltr	Filtration	Suggested Retail Price Excluding VAT
IX01-ICE COMPLETE	5 ACTION STAGE FILTRATION INCL. HEAD, SUMP, CARTRIDGE, 41000LT	Taste & Odour Removes chlorine Scale & Corrosion Dirt & Sediment	41 000	5 micron	R 1 799.00
001140-04 001140-08ALT 001140-01	Clear Housing & Bracket & Single Action Cartridge	Dirt Filtration	-	-	R 1 099.00
001140-04 001140-08ALT 001140-02	Clear Housing & Bracket & Double Action Cartridge	Dirt & Sediment Scale & corrosion	-	-	R 1 399.00
001140-09ALT 001140-10ALT	Head & Bracket Fittings Triple Action Cartridge	Scale & Corrosion Dirt & Sediment Taste & Odour	-	5 micron	R 2 699.00
001140-09ALT 001140-11ALT HF25	Head & Bracket Fittings Triple Action Cartridge	Scale & Corrosion Dirt & Sediment Taste & Odour	37 854	1 micron	R 3 099.00

#### **7. HI/LOW VOLTAGE PROTECTORS**

Part No	Description	Current Rating Amps	Inrush Current Amps	Voltage Over Under	Nominal Voltage (V)	Start Time Delay	Shipping Weight (kg)	Suggested Retail Price Excluding VAT
Freogard30	Over Under Voltage Protector (Internal connection)	30	110	190 - 260	230/50/1	3 min	0.4	R 1 099.00
AVS 3P-O	3-Phase Protection Switches a Contactor (Internal Connection)	16 9	120	185 – 260 320 - 450	220/50/1 380/50/3	3min	0.6	R 3 699.00

## 1<sup>st</sup> May 2017 - ALL PRICES EXCLUDE V.A.T

TRANSPORT COSTS TO MAIN CENTRE ONLY - EACH UNIT WILL BE CHARGED AS A SEPARATE ITEM:-  
 GAUTENG R 600.00: DURBAN R 700.00: CAPE TOWN R 750.00: P.E., E.L. R 750.00: BLOEM R 750.00  
 OUTLYING CENTRES SUBJECT TO A QUOTE

### **8. BLAST CHILLERS – SHOCK FREEZERS**

Model	Capacity	Blasting Capacity +90°C>+3° kg	Freezing Capacity +90°C>-18° kg	Dimensions (unpacked) H x W x D	Voltage	Nett Weight Kg	Suggested Retail Price Excluding VAT
T3	3 TRAYS 2/3 GN	7	5	470 x 630 x 630	220V/240V-50HZ/1	51	R 34 399.00
ST5/18	5 TRAYS GN 1/1 OR5 TRAYS EN 600/400	18	10	1080 x 870 x 760	220V/240V-50HZ/1	123	R 52 499.00
ST10/32	10 TRAYS GN 1/1 OR 10 TRAYS EN 600/400	32	22	1720 x 870 x 760	230-50HZ/1	156	R 83 899.00
ST15/40	15 TRAYS GN 1/1 OR 15 TRAYS EN 600/400	40	28	2176 x 870 x 860	400V-50HZ/3	200	R 98 599.00
T15/65	15 TRAYS GN 1/1 OR 15 TRAYS EN 600/400	65	50	2120 x 860 x 970	400V-50HZ/3	286	R 132 999.00

### **OPTIONAL EXTRAS**

- T3                    -Core probe, 1 Stainless steel grid 2/3 GN (354 x 325)
- ST5/18, ST10/32, ST15/40, ST15/65
- Version only for pastry trays available.
  - Feet kit and special drain tray for H852 mm.
  - Castors kit for ST5/18, ST10/32, ST15/40, and ST15/65.
  - Water cooled condenser version.
  - Sterilizing ozonizer.
  - USB port for HACCP data.
  - Internal structure for pastry or gastronomy trays pitch 10mm.
  - No. 1 pair of guides for variable pitch structure.
- ST15/65
- Sterilizing UV lamp for T15.
  - Remote condenser unit (with installation 10m).

**Warranty:** The warranty on all Scotsman branded ice machines is one year on parts and labour with an additional one year on parts ( i.e 2 years) provided the machine is serviced at the end of its first year at the end users cost. Service card / proof of service must be submitted to Scotsman Ice Systems SA (Pty) Ltd for the parts warranty to be valid in the second year.

**Please note:** Travelling / Transport costs are not covered under the Scotsman Warranty policy.

- All prices are subject to change without notice.
  - Specifications and model changes are subject to change without prior notice.
  - Sale subject to Scotsman Ice Systems SA (Pty) Ltd terms and conditions.
- All prices quoted exclude VAT  
E & O Accepted.