

Scotsman®

Ice Systems



The smart choice in ice.™

PRICE SCHEDULE

Effective 1st September 2020

ADDRESS:	<u>HEAD OFFICE - GAUTENG</u>	
	UNIT 4, LAKEVIEW BUSINESS PARK	
	8-10 YALDWYN ROAD	
	JETPARK	
CONTACT NUMBERS:		
OFFICE -	010 590 0609	
	011 053 5000	
	011 826 6742	
MAJORS -	011 053 5003	
SPARES -	011 053 5001	
SERVICE -	011 053 5002	
WARRANTY -	011 053 5004	
ACCOUNTS -	011 053 5006/7	
FAX -	011 826 4123 / 086 634 0803	
EMAIL -	jennifer@scotsmansa.co.za	
	stuart@scotsmansa.co.za	
WEBSITE:	www.scotsmansa.co.za	
WESTERN CAPE:	IAN GODFREY -	078 529 0190 Email - ian@scotsmansa.co.za
KZN/FREE STATE/GAUTENG:	NOELENE FLETCHER -	083 225 1439 Email - noelene@scotsmansa.co.za
EASTERN CAPE:	JOAN WHITE -	083 653 0995 / 041 776 1944 Email - javagencies@isat.co.za
NATIONAL SERVICE MANAGER:	BYRON SINDEN -	082 434 1440 / 010 590 0609 Email - byron@scotsmansa.co.za

1st September 2020 - ALL PRICES EXCLUDE V.A.T

TRANSPORT COSTS TO MAIN CENTRE ONLY - EACH UNIT WILL BE CHARGED AS A SEPARATE ITEM:-
GAUTENG R 950.00: DURBAN R 1050.00: CAPE TOWN R 1150.00: P.E., E.L. R 1150.00: BLOEM R 1150.00
OUTLYING CENTRES SUBJECT TO A QUOTE

SELF CONTAINED SUPER CUBER - HORIZONTAL EVAPORATORS (GOURMET CUBE) - WITH PWD (PROGRESSIVE WATER DISCHARGE)

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
EC 46*	25 kg	23 kg	9 kg	386 x 600 x 645	230/50/1	R134a	44	R 20 599.00
EC 56*	32 kg	31 kg	12 kg	386 x 600 x 695	230/50/1	R134a	45	R 25 699.00
EC 86	38 kg	37 kg	19 kg	531 x 600 x 785/825*	230/50/1	R134a	53	R 27 899.00
EC 106	50 kg	48 kg	23 kg	531 x 600 x 840/930*	230/50/1	R134a	56	R 30 199.00
EC 126	70 kg	66 kg	34 kg	680 x 600 x 920/1010*	230/50/1	R404a	77	R 43 599.00
EC 176	85 kg	83 kg	41 kg	680 x 600 x 990/1080*	230/50/1	R404a	82	R 47 099.00
EC 206	130 kg	123 kg	50 kg	1250 x 622 x 779/809*	230/50/1	R404a	97	R 57 599.00
EC 226	145 kg	142 kg	70 kg	1078 x 715 x 1004/ 1082*	230/50/1	R404a	112	R 64 599.00

*LEGS NOT INCLUDED

- Indicated production ratings pertain to air cooled (AS) models.
- All EC range ice machines have the PWD SYSTEM installed. The Progressive water discharge system allows the water to be pumped away to a height of up to 1.5 meters and a distance of up to 15 meters.

MODULAR SUPER CUBER – HORIZONTAL EVAPORATORS (GOURMET CUBE)

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg <small>Recommended</small>	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
MXG 328	150 kg	147 kg	B150	568 x 704 x 721	230/50/1	R404a	77	R 49 999.00
MXG 438	190 kg	180 kg	B220	773 x 705 x 721	230/50/1	R404a	85	R 55 999.00
MXG 638	330 kg	310 kg	B320	773 x 704 x 1128	230/50/1	R404a	129	R 80 599.00
MC 1210	660 kg	585 kg	2 x B500	1677 x 775 x 810	400/50/3 N	R404a	245	R 175 099.00

- All prices exclude bins
- Indicated production ratings pertain to air cooled (AS) models.

SELF CONTAINED ICE DISPENSERS (NUGGET & GOURMET)

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
TC 180	120 kg	114 kg	5 -9 Kg	390 x 600 x 874	230/50/1	R134a	70	R 67 999.00
DXG 35	29 kg	27 kg	11 Kg	380 x 513 x 1696	230/50/1	R134a	60	R 64 999.00

- Indicated production ratings pertain to air cooled (AS) models.

1st September 2020 - ALL PRICES EXCLUDE V.A.T

TRANSPORT COSTS TO MAIN CENTRE ONLY - EACH UNIT WILL BE CHARGED AS A SEPARATE ITEM:-
 GAUTENG R 950.00: DURBAN R 1050.00: CAPE TOWN R 1150.00: P.E., E.L. R 1150.00: BLOEM R 1150.00
 OUTLYING CENTRES SUBJECT TO A QUOTE

MODULAR ECONOMY CUBER - SUPER DICE CUBE

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg Recommended	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
NW 308	160 kg	140 kg	B150	558 x 610 x 609	230/50/1	R404a	63	R 42 999.00
NW 458	215 kg	200 kg	B220	760 x 620 x 575	230/50/1	R404a	87	R 47 599.00
NW 608	320 kg	280 kg	B220/ B320	760 x 620 x 575	230/50/1	R404a	88	R 57 599.00
NW 1008	485 kg	456 kg	B500	760 x 620 x 800	230/50/1	R404a	119	R 76 699.00
NW 1008 3 PHASE*	485 kg	456 kg	B500	760 x 620 x 800	380/50/3 N	R404a	119	R 76 699.00
NW 1408	620 kg	600 kg	B500	765 x 610 x 1000	230/50/1	R404a	145	R 102 999.00

* INDENT ONLY

- All prices exclude bins

- Indicated production ratings pertain to air cooled (AS) models.

SELF CONTAINED FLAKERS – ELECTRONIC

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
AF 80	70 kg	67 kg	25 kg	535 x 620 x 797/890*	230/50/1	R134a	58	R 48 999.00
AF 103	105 kg	102 kg	30 kg	592 x 622 x 997 /1078*	230/50/1	R134a	76	R 54 899.00

- Indicated production ratings pertain to air cooled (AS) models.

MODULAR - SUPER FLAKERS – ELECTRONIC

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity Kg Recommended	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Suggested Retail Price Excluding VAT
MF 26	120 kg	114 kg	B150	563 x 536 x 531	230/50/1	R134a	52	R 51 999.00
MF 36	200 kg	195 kg	B150/220	563 x 536 x 531	230/50/1	R404a	56	R 59 599.00
MF 46	320 kg	305 kg	B320	538 x 663 x 645	230/50/1	R404a	87	R 77 999.00
MF 56	600 kg	590 kg	B500	538 x 663 x 785	230/50/1	R404a	103	R 104 599.00
MF 66	1150 kg	1070 kg	SPECIAL	1065 x 698 x 850	400/50/3 N	R404a	198	R 223 699.00
MF 86	2400 kg	2250 kg	SPECIAL	1080 x 780 x 1255	400/50/3 N	R404a	411	R 427 599.00

- All prices exclude bins

- Indicated production ratings pertain to air cooled (AS) models.

1st September 2020 - ALL PRICES EXCLUDE V.A.T

TRANSPORT COSTS TO MAIN CENTRE ONLY - EACH UNIT WILL BE CHARGED AS A SEPARATE ITEM:-
 GAUTENG R 950.00: DURBAN R 1050.00: CAPE TOWN R 1150.00: P.E., E.L. R 1150.00: BLOEM R 1150.00
 OUTLYING CENTRES SUBJECT TO A QUOTE

STAINLESS STEEL STORAGE BINS

Model	Storage Capacity	Insulation	Dimensions W x D x H (mm)	Material	Drain Size	Shipping Weight APPROX	Suggested Retail Price Excluding VAT
B150	125-150 kg*	24 V Polystyrene 40mm	550 x 715 x 1054	S/S	42 mm Outlet	35 kg	R 6 999.00
B220	190-220 kg*	24 V Polystyrene 40mm	800 x 725 x 1050	S/S	42 mm Outlet	45 kg	R 7 999.00
B320	260-320 kg*	24 V Polystyrene 40mm	1075 x 725 x 1054	S/S	42 mm Outlet	55 kg	R 8 999.00
B500	400-480 kg*	24 V Polystyrene 40mm	1215 x 725 x 1420	S/S	42 mm Outlet	65 kg	R 11 599.00

- * Storage capacity of bins is subject to change, depending on type of ice stored.
 - Bins come standard with adjustable feet for levelling.

DISPENSING STAINLESS STEEL STORAGE BINS

Model	Storage Capacity	Insulation	Dimensions (Unpacked) W x D x H (mm)	Material	Drain Size	Shipping Weight	Suggested Retail Price Excluding VAT
HD 22	59 kg*	Polyurethane	559 x 850 x 1351	S/S	¾" FTP	91 kg	R 80 999.00
HD 30	81 kg*	Polyurethane	762 x 850 x 1351	S/S	¾" FTP	102 kg	R 95 599.00

- * Storage capacity of bins is subject to change, depending on type of ice stored.
 - Bins come standard with adjustable feet for levelling.
 Dispensing

FRIULINOX BLAST CHILLERS – SHOCK FREEZERS

Model	Capacity	Chilling Capacity +90°C>+3°C	Freezing Capacity +90°C>-18°C	Dimensions (unpacked) W x D x H (mm)	Voltage	Shipping Weight (kg)	Suggested Retail Price Excluding VAT
BF030AG / ST 3	3 TRAYS	8 kg	5 kg	560 x 560 x 520	230/50/1	53	R 43 899.00
BF051AG	5 TRAYS	18 kg	12 kg	790 x 700 x 850	230/50/1	100	R 62 999.00
BF081AG / ST10/32	8 TRAYS	25 kg	16 kg	790 x 800 x 1320	220-240/50/1	157	R 97 099.00
BF161DG	16 TRAYS	36 kg	24 kg	790 x 800 x 1950	400/50/3N	245	R 113 999.00

OPTIONAL EXTRAS

- Remote condensing unit
- Condensing unit with water cooling unit
- Revolving castors with break kit
- UVC kit (sterilizing lamp) BF051AG/BF081AG/BF161DG ONLY
- Printer kit

1st September 2020 - ALL PRICES EXCLUDE V.A.T

TRANSPORT COSTS TO MAIN CENTRE ONLY - EACH UNIT WILL BE CHARGED AS A SEPARATE ITEM:-
GAUTENG R 950.00: DURBAN R 1050.00: CAPE TOWN R 1150.00: P.E., E.L. R 1150.00: BLOEM R 1150.00
OUTLYING CENTRES SUBJECT TO A QUOTE

ACCESSORIES

CRUSHMAN

Model	Description	Storage Capacity kg	Dimensions (unpacked) W x D x H (mm)	Voltage	Shipping Weight kg	Suggested Retail Price Excluding VAT
CRUSHMAN*	Ice Crusher up to 144 kg output. It converts all kinds of ice into different-size granules.	3.5 Kg	245 x 430 x 490	230/50/1	28	R 30 999.00

* INDENT ONLY

WATER FILTERS

Part No	Description	Function	Capacity	Filtration	Suggested Retail Price Excluding VAT
UW01COMPLETE*	High Performance Filter Incl. Head, wall mounter bracket, cartridge and short inlet hose	Improves taste and odour, Reduces limescale build up Carbon block filter finely polishes water.	Up to 22 700 L	0.5 microns	R 2 599.00
001140-04 001140-08ALT 001140-01	Clear Housing Bracket for housing Single action cartridge	Dirt Filtration	-	-	R 1 499.00
001140-04 001140-08ALT 001140-02	Clear Housing Bracket for housing Double action cartridge	Dirt and Sediment Scale and corrosion	-	-	R 1 999.00

Filtration capacity may vary depending on the water quality

* Always flush the filter cartridge at time of installation and cartridge change

HI/LOW VOLTAGE PROTECTOR (NETT Price, includes installation)

Part No	Description	Current Rating Amps	Inrush Current Amps	Voltage Over Under	Nominal Voltage (V)	Start Time Delay	Shipping Weight (kg)	NETT Price Excluding VAT
Freogard30	Over Under Voltage Protector (Internal connection)	30	110	190 - 260	230/50/1	3 min	0.4	R 1 499.00

SCOOP (NETT Price)

Part No	Description	Recommended Compatibility	Dimensions (unpacked) W x D x H (mm)	Shipping Weight APPROX	NETT Price Excluding VAT
650146-00S	Aluminum Scoop – approximately 1 kg of ice per scoop	All Modular Ice Machines	260 x 430 x 130	0.5 kg	R 290.00

Warranty: Scotsman ice machines offer a one-year parts and labour warranty with an additional one year on parts (i.e. 2 years), Provided the machine is serviced in the first year at the users cost.

Service card / proof of service must be submitted to Scotsman Ice Systems SA (Pty) Ltd for the parts warranty to be validated.

Please note: Travelling and Transport costs are NOT COVERED UNDER the Scotsman Warranty policy.

Warranty Policy available on www.scotsmansa.co.za or via email upon request.

- All prices are subject to change without notice.
- Specifications and model changes are subject to change without prior notice.
- Sale subject to Scotsman Ice Systems SA (Pty) Ltd terms and conditions.
- All prices exclude VAT
- E & O Accepted.